

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

1 Identification

- · Product Identifier
- · Trade Name: HexChecks Testing Swabs
- Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Rapid test for hexavalent chromium.
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Figure, Inc.

8500 Cinder Bed Rd. Lorton, VA 22079 Phone: 571-290-8964 info@figureengineering.com

http://www.figureengineering.com

· Emergency telephone number: 571-250-8964

2 Hazard(s) Identification

· Classification of the substance or mixture:



Flammable Liquids 2 H225 Highly flammable liquid and vapor.



Eye Irritation 2A

H319 Causes serious eye irritation.

- · Label elements:
- · Hazard pictograms:





- · Signal word: Danger
- Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 3

Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Substance
- · **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous Components:	
Trade Secret	7-9%
Flammable Liquids 2, H225; Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H335	
Trade Secret	7-9%
♦ Flammable Liquids 3, H226; ♦ Skin Corrosion 1A, H314; ♦ Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332	
Specific concentration limits: Skin Corrosion 1A; H314: C ≥ 90 %	
Skin Corrosion 1B; H314: 25 % ≤ C < 90 %	
Skin Irrititation 2; H315: 10 % ≤ C < 25 %	
Eye Irritation 2; H319: 10 % ≤ C < 25 %	
Trade Secret	7-9%
♦ Flammable Liquids 2, H225; ♦ Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information: If symptoms persist, call a physician.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

If skin irritation occurs, consult a doctor.

· After eve contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

1,800 ppm
5 ppm
200 ppm
3300* ppm
35 ppm
3200* ppm
15000* ppm
250 ppm
5700* ppm

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

7 Handling and Storage

- · Handling
- Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:

end of shift

Acetone (nonspecific)

· Comp	· Components with occupational exposure limits:				
Trade	Trade Secret				
PEL L	ong-term value: 1900 mg/m³, 1000 ppm				
REL L	Long-term value: 1900 mg/m³, 1000 ppm				
TLV S	Short-term value: 1880 mg/m³, 1000 ppm				
Trade	Secret				
PEL L	ong-term value: 25 mg/m³, 10 ppm				
	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm				
	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm				
Trade	Trade Secret				
PEL L	ong-term value: 2400 mg/m³, 1000 ppm				
REL L	Long-term value: 590 mg/m³, 250 ppm				
L	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI				
· Ingredients with biological limit values:					
Trade	Secret				
BEI 5	0 mg/L				
u	rine				

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Clear
Codor:
Acetone-like
Odor threshold:
Not determined.

pH-value @ 20 °C (68 °F): 5

Change in condition

 Melting point/Melting range:
 Not determined.

 Flash point:
 20 °C (68 °F)

 Flammability (solid, gaseous):
 Not applicable.

 Ignition temperature:
 ≥425 °C (≥797 °F)

 Decomposition temperature:
 Not determined.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor

mixtures are possible.

· Explosion limits:

Lower: Not determined. **Upper:** Not determined.

· Vapor pressure @ 20 °C (68 °F): ≤23 hPa (≤17.3 mm Hg)

Density: Not determined.
Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 22.6 % VOC content: 15.09 %

948.2 g/l / 7.91 lb/gal

· Other information: No further relevant information available.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Product is stable under normal conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Heat, flame and ignition sources.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

Acute toxicity:			
LD/LC50 values that are relevant for classification:			
Trade Sec	Trade Secret		
Oral LD50 7,060 mg/kg (Rat) Remarks: Lungs, Thorax, or Respiration Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic Blood: Lymphomas including Hodgkin's Central nervous system depression, no of our knowledge, the chemical, physi been thoroughly investigated. Heart - Irregularities - Based on Human Central nervous system - Breathing diff		Remarks: Lungs, Thorax, or Respiration: Other changes. Carcinogenicity - Mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease. Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not	
Inhalative	LC50/4 h	20,000 mg/l (Rat)	
	LC50/96 hours	12,900-15,300 mg/l (Trout)	
Trade Sec	ret		
Oral	LD50	3,310 mg/kg (Rat)	
Dermal	LD50	1,112 mg/kg (Rabbit)	
Inhalative	LC50/4 h	11.4 mg/l (Rat)	
	LC50/96 hours	>1,000 mg/l (Trout)	
Trade Secret			
Oral	LD50	5,800 mg/kg (Rat)	
Dermal	LD50	20,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	5,549 mg/l (Trout) (96 hr)	

- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories:

IARC (International Agency for Research on Cancer):	
Trade Secret	1
· NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
	(Contd on nogo 0)

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

12 Ecological Information

· Toxicity:

	· •···•·· y ·
	· Aquatic toxicity:
ľ	Trade Secret
ľ	EC50 34,900 mg/l (Daphnia)
ľ	Trade Secret
ľ	EC50 >300.82 mg/l (Water flea)
ľ	Trade Secret
ľ	EC50 6,100 mg/l (Pimephales) (48 hr)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA UN1993

· UN proper shipping name:

Flammable liquids, n.o.s. (Acetone, Ethanol)

ADR/ADN UN1993 FLAMMABLE LIQUID, N.O.S. (ACETONE,

ETHANOL (ETHYL ALCOHOL))

FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHANOL

(ETHYL ALCOHOL))

FLAMMABLE LIQUÍD, N.O.S. (ACETONE, ETHANOL)

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

- · Transport hazard class(es):
- · DOT



· *Class:* 3 Flammable liquids

· Label:

· ADR/ADN



· *Class:* 3 (F1) Flammable liquids

· Label:

· IMDG. IATA



· Class: 3 Flammable liquids

· Label: 3

· Packing group:

· DOT, ADR/ADN, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user: Warning: Flammable liquids

· Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E · Stowage Category B

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations:

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· ADR/ADN

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ):

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE,

ETHANOL (ETHYL ALCOHOL)), 3, II

(Contd. on page 10)



Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

5	Peaul	latory i	Inform	ation
v		etul v i		CULL

· Safety, health and	environmental regulations	/legislation specific for	the substance or mixtur	e:
No further relevant i	information available.			

· SARA (Superfund Amendments and Reauthorization):

· Section 355 (extremely hazardous substances):		
None of the ingredients are listed.		
· Section 313 (Specific toxic chemical listings):		
None of the ingredients are listed.		
· TSCA (Toxic Substances Control Act):		
All components have the value ACTIVE.		
· Hazardous Air Pollutants		
None of the ingredients are listed.		
· California Proposition 65:		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· New Jersey Right-to-Know List:		
Trade Secret		
Trade Secret		
Trade Secret		
· New Jersey Special Hazardous Substance List:		
Trade Secret	CA, MU, TE, F	-3
Trade Secret	CO, F2	
Trade Secret	F3	
· Pennsylvania Right-to-Know List:		
Trade Secret		
Trade Secret		
Trade Secret		
· Pennsylvania Special Hazardous Substance List:		
Trade Secret		Ε
Trade Secret		Ε
· Carcinogenic categories:		

Carcinogenic categories:

· EPA (Environmental Protection Agency):	
Trade Secret	
TLV (Threshold Limit Value established by ACGIH):	
Trade Secret	A3



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

Trade Secret A4

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





· Signal word: Danger

· Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Contact:
- · Date of last revision/ revision number: 06/29/2022 / 3
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances



OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/29/2022 Reviewed on 06/29/2022

Trade Name: HexChecks Testing Swabs

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Flammable Liquids 3: Flammable liquids - Category 3

Acute Toxicity - Dermal 4: Acute toxicity - Category 4

Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106